Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices

AD-33 Bookplate
(1-48)

NATION

J. 288-371
agricult. 12
Idem 12
Lot 7

ICONES FUNGORUM,

Circa,

HALIFAX

Sponte

NASCENTIUM.

Fasciculus Sextus.

By J. Bolton.

MDCCXCII.

USDA
LIB

USDA
NAL

Least Hydnum.

This for ought I know is a true Nondescript. no writer which I have had an opportunity of examining having mentioned any thing like it. The Authors I have seen are indeed but few. and when I say that a Plant is new or a Nondescript it must be understood in a limited sence, because the plant may be both described and figured in works which I have not seen. Want of Books is most certainly the heaviest affliction that can befall a Naturalist.

Mesenterie Helvella.

This Helvella varies much in shape and appearance in its different stages as represented in the drawing. when at full growth it is not always formed like a cup as the specimen figured but is often halved, awkwardly gashed or lobed and lying flat to the ground in which state it resembles my Boletus auriformis but is at all times distinguished by its purple underside.

Clove coloured Helvella.

This plant varies in colour from a dark brown orange to a Clove. It grows about the roots of Turfrees in close dark moist plantations. it is at all times soft flexible and tender and is of short duration. The surface is soft and hairy and the concentric dark circles are in some plants much more conspicuous than in others.

Helvella nicotiana Bull. pl.

Tobacco Helvella

This Helvella is to be found in February and March it grows in woods and Hedges on such dead twigs and branches as still remain on the tree particularly on Hazel Sallow or the Honeysuckle. I have seen pieces of Honeysuckle beautifully decorated with it after their roots have been destroyd and the dead branches still suspended on the tree or in the Hedge they are beautified and perfumed.

Pursed Helvella

This helvella especially in the first stages of its growth bears a resemblance of the Helvella cochleata, but it is so much different in size, and remains to the last so very much contracted at the rim in comparison of old plants of the cochleata and from its long duration I have ventured to figure it as a distinct species see Bulliard Pl. 44. and. 457.

(239.)

Helvella

Thin Helvella.

This little plant grows on Moss in a putrid state, it assumes various shapes is divided or undivided, lobed and curled in a wild manner when old, when young it is of a paler colour. Bulliard has figured it Plate 288. and named it Agaricus muscigenus, and again Pl. 498. f. 2. where he calls it Helvella dimidiata. — It is a rare species about Halifax but abounds on thatched Houses in the Bishoprick of Durham.

(240)

Sphaerie concentrica Tab. 240

Concentric Sphæria

This noble Plant I suspect has not before been figured since the time of Micheli who has figured it Gen: Plan: Tab. 62. He has separated and magnified some of the old empty seedvessels which constitute the internal substance but unluckily overlook the fertile and pregnant ones which are only to be found in the last formed stratum close under the Bark. as seen at. a. Tab 240. I believe it a species distinct from the Lycoperdon Nigrum, Schaffer Tab: 329.

Sphæria maxima Tab. 241.

Greatest Sphæria.

The Sphæria maxima grows on old stumps and roots when quite rotten and in a dry situation. we often meet with it flat and depressed. The figure was taken from a very fine and perfect one which grew on the perishing stump of an Ash Tree in Bradley Wood near Elland, amongst many larger. but none were so well formed or so prominent. as that I pitched upon to draw. it is the finest Specimen I ever saw.

Branched Sphæria.

This nondescript. I never found but in one particular spot. nor do I know of any other that ever met with it. except it be the Plant which Bulliard calls Boletus ramosus and has figured on his 418th Plate. By what one may judge from his figure his plant does not obviously differ in habit or character from mine, and it has not the proper marks of a Boletus about it, so that I am inclined to think they are in species the same, however Nature, or Art, may have increased his Plant, or diminished mine.

Hidnum rubiginosum, Pers. a, b, c, d, e, f, g, magnitudine naturali. Fungoids

Note

In the annexed INDEX, the first Number corresponds with the Number marked on each Drawing; The number which comes after the Name, directs to the Page in the printed Volumes, where the subjects are respectively described.

All the Names, whether Generic or specific, which in the INDEX, have a red dash under them; were but temporary and are now to be obliterated, and the Plant must retain that name, which is written immediately after the rejected one, under the same number.

Tab

For instance,

169. Lycoperdon sessilis, Clathrus turbinatus.

Here the first name is rejected, the last is to be retained.

James Bolton

Stannary near Halifax,
January the 5.th
Anno Domini,
1792.

INDEX.

Tab		Page
1.	Ag. elegans ~~Hemitatus~~ tenuis var.	23.
2.	Ag. assurgens. tenuis.	37.
3.	Ag. glauco-nitidus. politus.	30.
4.	Ag. striatus.	54.
5.	Ag. croceus.	51.
6.	Ag. lasciniatus, striatus var.	54.
7.	Ag. fimbriatus.	61.
8.	Ag. globosus, ciliaris var.	53.
9.	Ag. nigrus, varius var.	66.
10.	Ag. luridus	25.
11.	Ag. cinnamoneus, cuspidatus.	66.
12.	Ag. fasciculatus, var.	29.
13.	Ag. clypiatus.	57.
14.	Ag. luteo-albus.	38.
15.	Ag. aurentius.	67.
16.	Ag. integer.	1.
17.	Ag. violaceus.	52.
18.	Ag. lactifluus.	3.
19.	Ag. undulatus. pseudo-cinnamoneus.	22.
20.	Ag. putridus, candidus.	39.
21.	Ag. androsaceus.	32.
22.	Ag. umbelliferus.	39.
23.	Ag. debilis.	
24.	Ag. coccineus, clavus var.	39.
25.	Ag. clavus.	39.
26.	Ag. rotatus. domesticus var.	26.
27.	Ag. peziqoides. sordidus var.	59.
28.	Ag. flabellatus, pecten.	72.
29.	Hydnum auriscalpum.	90.
30.	Hyd. repandum, imbricatum var.	88.
31.	Phallus impudicus.	92.
32.	Helvella mitra.	93.
33.	Peziza lentifera.	102.
34.	Pez. punctata, Sphæria truncata	127.

Tab		Page
35	Peziza clavata, Helvella sarcoides.	101.
36.	Peziza convoluta.	
37.	Peziza minima.	
38.	Peziza cærulia.	108.
39.	Peziza cyathoides.	
40.	Peziza scutellata.	108.
41.	Peziza riparia, Helvella cochleata.	99.
42.	Peziza cochleata Helvella cochleata.	99.
43.	Clavaria pistillaris.	110.
44.	Clathrus nudus.	93.
45.	Agaricus pyramidalis. fimetarius.	44.
46.	Ag serratus.	14.
47.	Ag chantarellus.	62.
48.	Ag verrucosus.	47.
49.	Ag. agrestis campestris var.	45.
50.	Ag confertis.	18.
51.	Ag pullatus.	20.
52.	Ag coriaceus. pseudo-cinnamoneus.	22.
53.	Ag radiatus.	59.
54.	Ag albus. piperatus.	21.
55.	Ag. glaucus. cæruleus.	12.
56.	Ag. griseus, varius var.	
57.	Ag revolutis, clypiatis var.	57.
58.	Ag niveus ciliaris var.	53.
59.	Ag equestris.	65.
60.	Ag rotundus, durus.	67.
61.	Ag quercinus.	73.
62.	Ag lateralis.	71.
63.	Boletus tenax.	75.
64.	Bol. procerus.	86.

Tab.		Page
64.	Bol. luteus.	84.
66.	Bol. bovinus.	85.
67.	Bol. ciliaris, subtomentosus.	87.
68.	Bol. lateralis.	83.
69.	Bol. fragilis, proteus var.	167.
70.	Helvella ferritoria.	97.
71.	Helv. pellucida.	
72.	Helv. fibuliformia.	176.
73.	Pez. cornucopioides.	103.
74.	Pez. fulva, scutellata.	108.
75.	Pez. fusca.	109.
76.	Pez. tuba, coccinea var.	104.
77.	Pez. alba.	
78.	Pez. sessilis, viridis.	109.
79.	Clavaria hypoxylon, Sphaeria digitata.	129.
80.	Clav. arbuscula.	
81.	Clav. muscoides.	114.
82.	Sphaeria tuberculosa.	123.
83.	Sph. digitata.	129.
84.	Sph. miniata.	127.
85.	Lycoperdon bovista.	117.
86.	Lyc. stipitatum, gossypinum.	178.
87.	Lyc. sanguineum, Sphaerias sanguinea.	121.
88.	Lycop. clavatum, gossypinum.	178. 178.
89.	Agaricus infundibuliformis.	34.
90.	Ag. campestris.	45.
91.	Ag. mollis.	40.
92.	Ag. elephantinus.	28.
93.	Ag. laricinus.	19.
94.	Ag. rubens.	36.
95.	Ag. amethystinus.	63.
96.	Ag. lepupedus villosus.	42.
97.	Ag. piperatus, acris.	60
98.	Ag. muscarius	27.
98	Ag. annulatus	23
100.	Ag. tomentosus, luteus.	50.
101.	Ag. tortilis	41
102	Ag. melinus, clypiatus var.	57.
103.	Ag. cespitosus	41.
104.	Ag. pomposus	5
105.	Ag. elasticus	16
106.	Ag. concinnens	15.
107.	Ag. fistulosus, fissus	35
108.	Ag. siccatus, alvo-rufus	61.
109	Ag. navus, umbilicatus	17.
110	Ag. castaneus	10
111.	Ag. petaliformis, fasciculatus	29
112	Ag. holosericatus, adscendens.	55.
113.	Ag. membranacius	11
114.	Ag. splendidus, vernalis	48.
115.	Boletus versicolar	81
116	Bol. elegans	76
117.	Bol. hepaticus	79
118.	Hydnum cinnamoneum, repandum	89.
119	Clathrus fulvus	93
120.	Clath. nidus, denudatus.	93.
121.	Helvella alba, agaricaeformia	98.
122	Peziza helvellioides, ochreluca,	105
123	Pez. undulata	105
124	Pez. stipitata, tuba	106
125.	Clavaria pulchra, elegans	115
126	Clav. ophioglossoides	111.
127.	Clav. tenuis, gracilis	111.

Tab		Page
128.	Clav. fastigiata.	112.
129.	Lycoperdon insecta Clathrus turbinatus. var.	94.
130.	Lycop. durus, cervinum, var.	116.
131.	Lycop. caesus. bovista var.	117.
132.	[illegible]	120
133.	Agaricus castus, repandus	6.
134.	Ag. rostratus mammosus.	62.
135.	Ag. extinctorius.	24.
136.	Ag. latus.	2.
137.	Ag. deliciosus.	9.
138.	Ag. carneus, farinaceus.	64.
139.	Ag. regularis pulvinatus.	49.
140.	Ag. eburneus.	4.
141.	Ag. cornucopoides	8.
142.	Ag. laceratus	68.
143.	Ag. pungens piperatus.	21.
144.	Ag. nobilis	16.
145.	Ag. lamello-dentatus denticulatus.	4.
146.	Ag. plumosus.	33.
147.	Ag. irregularis.	13.
148.	Ag. cristatus.	7.
149.	Ag. lanato-albus vernalis.	48.
150.	Ag. lividus purpureus.	41.
151.	Ag. rigidus.	43.
152.	Ag. piperatus. acris.	60.
153.	Ag. lutevlus laceratus var.	68.
154.	Ag. fimbriatus.	61.
155.	Ag. ocreatus. peronatus.	58.
156.	Ag. mucens.	70.
157.	Ag. trilobus.	38.
158.	Ag. fulvus.	56.
159.	Ag. semipetiolatus, betulinus.	72.
160.	Ag planus.	72.
161.	Boletus. resupinatus auriformis.	82.
162.	Bol. albus.	78.
163.	Bol. cellulosus squamosus.	77.
164.	Phall. esculentus.	91.
165.	Clathrus ater.	
166.	Helvella hemisphærica hispida.	96.
167.	Helv. aurea.	98.
168.	Cistellula clausa. Sphaeria agaricyformia.	130.
169.	Lycoperdon sessilis Clathrus turbinatus	94.
170.	Lycop. stellatum.	119.
171.	Lycop. columnare bovista	117.
172.	Lycop. cervinum.	116.
173.	Lycop. profilio. epidendrum.	119.
174.	Lycop. tuberculosa, sphaeria tuberculosa.	123.
175.	Lycop. epiphyllum.	
176.	Sphaeria rugosa.	123.
177.	Mucor cristaceus.	
178.	Muc. glauca.	
179.	Muc mucedo.	132.
180.	Muc. sphaerocephalus [illegible] sphaerocephalus.	94.
181.	Muc. lichenoides.	
182.	Muc aggregata.	
183.	Muc Septicus.	134.
184.	Muc. lycogalus.	133.
185.	Boletus rangiferinus.	138.
186.	Agaricus fusco-pallidus.	136.
187.	Ag. velutipes.	135.
188.	Ag. zonarius cinctulus.	152.
189.	Ag. incisus flavidus.	149.
190.	Ag. conicus. pseudo clypeatus.	154.

Tab		Page
191.	Ag. atro-albus.	137.
192.	Helvella cartilagenia.	101.
193.	Clathrus sphærocephalus.	94.
194.	Peziza striata.	102.
195.	Pez. inflecta.	106.
196.	Pez. auricula.	107.
197.	Clavaria gyrans.	112.
198.	Sphæria brassica.	119.
199.	Sph. pulicaris sulcata.	124.
200.	Sph. obducta.	125.
201.	Sph. deprefsa.	122.
202.	Sph. militaris.	128.
203.	Sph. foliacea.	131.
204.	Agaricus myodes.	139.
205.	Ag. congregatus.	140.
206.	Ag. melleus.	141.
207.	Ag. obtectus.	142.
208.	Ag. cyaneus.	143.
209.	Ag. zonarius.	144.
210.	Ag. cyathoides.	145.
211.	Ag. carnosus.	146.
212.	Ag. bulbosus.	147.
213.	Ag. ramoso-radicatus.	148.
214.	Ag. cinnamomeus.	150.
215.	Ag. oreadus.	151.
216.	Ag. albus.	153.
217.	Ag. alumnus.	155.
218.	Ag. tomentosus.	156.
219.	Ag. flabelliformis.	157.
220.	Ag. coriaceus.	158.
221.	Boletus hispidus.	161.
222.	Bol. confragosus.	160.
223.	Bol. betulinus.	159.
224.	Bol. suberosus.	162.
225.	Bol. resupinatus.	156.
226.	Bol. proteus.	166.
227.	Bol. heteroclitus.	164.
228.	Bol. unicolor.	163.
229.	Bol. lacrymans.	167.
230.	Bol. medulla-panis.	167.
231.	Bol. calceolus.	168.
232.	Bol. annularius.	169.
233.	Bol. substrictus.	270.
234.	Hydnum minimum.	171.
235.	Helvella mesenterica.	172.
236.	Helv. caryophyllea.	173.
237.	Helv. nicotiana.	174.
238.	Helv. vesiculosa.	175.
239.	Helv. membranacea.	177.
240.	Sphæria concentrica.	180.
241.	Sph. maxima.	181.
242.	Sph. viticoida.	182.

INDEX

In this Alphabetical Index the rejected Names are omitted
but may be found in Pencil on the respective Drawings.

INDEX Trivialia.

AGARICUS

Acris 152.
Adscendens. 112.
Albus 216
Alumnus 217
Amethystinus 95
Androsaceus. 21.
Annulatus. 99
Atro-albus. 191.
Atro-rufus. 108.
Aurentius 15.

Betulinus 159
Bulbosus 212

Campanulatus 4
Candidus 20.
Campestris. 49. 90.
Castaneus 110.
Carnosus 211.
Cespitosus 22. 103.
Ciliaris 7. 53.
Cinnamoneus. 214
Cinctulus 188.
Chantarellus. 17.
Clypiatus 13. 57
Clavus 24 25
Coeruleus. 55
Confertis 50
Concinneus. 106.
Congregatus. 205.
Coriaceus 220
Cornucopioides 141.
Cuspidatus 11.
Croceus 5.
Cristatus 148
Cyaneus 208
Cyathoides 210.

Domesticus 26. 142
Durus 60.
Deliciosus 137
Denticulatus. 147.

Eburneus 140
Elasticus 105
Elephantinus 92
Equestris 59
Extinctorius 135.

Farinaceus 138.
Fascicularis 19. 111.
Fibellatus 28.
Fibelliformis 219.
Flavidus 189
Flavus 158.
Fimetarius 45
Fimbriatus 154.
Fulvus 158.
Fusco pallidus 186.

Infundibuliformis 89
Integer 16.
Irregularis 147.

Lactifluus. 18. 79
Laceratus 153
Lateralis 69.
Latus 136.
Laricinus 93.
Luridus 10.
Luteus 100.
Luteo-albus 14.

Mammosus 134.
Melleus 206.
Membranacius 113.
Mollis 91.
Muscarius 98.
Myodes 204.

Nobilis 144.
Nucens 156.

Oblectus. 207.
Oreadus. 102. 215.

Peronatus. 155
Piperatus 54. 143.
Plumosus 146.
Planus 160.
Plumosus 146.
Politus 3.

Pompatus ____ 104.
Pullatus. ____ 51.
Pulvinatus ____ 139.
Purpureus ____ 155.
Pseudo clypiatus. ____ 190.

Quercinus ____ 61.

Radiatus ____ 53.
Ramoso-radicatus. 213.
Repandus. ____ 133.
Rigidus. ____ 151.
Rubeus ____ 94.

Serratus ____ 46.
Striatus 6.
Sordidus. ____ 27.

Tenuis ____ 1. 2.
Tomentosus ____ 218.
Tortilis ____ 101.
Trilobus ____ 127.

Varius ____ 9. 56.
Velutipes ____ 187.
Vernalis. ____ 114. 149.
Verrucosus ____ 48.
Villosus. ____ 96.
Violaceus ____ 17.

Umbilicatus ____ 109.
Umbelliferus ____ 23

Zonarius. ____ 209.

BOLETUS

Albus ____ 162
Annularius 232.
Auriformis ____ 161.

Betulinus ____ 223.
Bovinus ____ 66.

Calceolus. ____ 63. 231.
Confragosus. ____ 222.

Elegans. 116.

Hepaticus 117.
Hetroclytus 227.
Hispidus 221.

Lacrymans. 229.
Lateralis 68.
Luteus 65.

Medulla-panis 230.

Procerus. 64.
Proteus 226. 96.

Rengiferinus 185.
Resupinatus. 225.

Squammosus. 163
Suberosus 224.
Substratus. 233.
Subtomentosus. 67.

Tenax. 63.

Unicolar. 228

Versicolar. 115.

HYDNUM

Auriscalpium 29.

Imbricatum 30.

Minimum 234.

Repandum 118.

PHALLUS

Esculentus. 31.
Impudicus 164.

CLATHRUS

Ater 165.
Denudatus 120.
Fulvus 119.
Nudus 44.
Olivaceus 165.
Sphærocephalus 139. 181.
Turbinatus 169. 129.

HELVELLA.

Agariciformia 121.
Aurea 167
Cochleata 41. 42
Cartilagenia 192.
Caryophyllea 236
Ferruginea 70.
Fibuliformia 72
Hispida 166.
Membranacia 239.
Mesenterica 235
Mitra 32.
Nicotiana 237.
Pellucida 71.
Sarcoides 35.
Vesiculosa 238.

PEZIZA

Alba 77
Auricula 169
Convolvula 36.
Coerulea 38.
Cyathoides 39.
Cornucopioides 73
Coccinea 76.
Fusca 75.
Inflecta 195.
Lentifera 33.
Minima 37
Ochraleuca 122.
Scutellata 40. 74.

Striata ____ 194.
Tuba ____ 124.
Undulata. ____ 123
Viridis. 78.

CLAVARIA.

Arbuscula ____ 80
Elegans ____ 125
Fastigiata ____ 128.
Gyrans. ____ 195.
Gracilis ____ 127.
Muscoides ____ 81.
Ophioglossoides ____ 126.
Pistillaris ____ 43.

LYCOPERDON

Bovista. 85. 131. 171.
Cervinum. 130. 172
Epidendrum ____ 173.
Epiphyllum ____ 175.
Gossypinum. ____ 88.
Globosum. 86.
Stellatum. 170.

SPHÆRIA.

Agariciformia ____ 168.
Brassicæ ____ 198.
Concentrica ____ 240.
Depressa ____ 201.
Digitata 79. 38.
Foliacea. ____ 203.
Maxima ____ 241.
Militaris. 202
Miniata ____ 84.
Obducta. 200.
Rugosa ____ 176.
Riccioida ____ 246.
Sanguinea ____ 87.
Sulcata. ____ 199.
Truncata ____ 34.
Tuberculosa ____ 174.
Sulcata. 199.
Viridis.

MUCOR.

Aggregatus 182.
Crustaceus 177.
Glaucus. 178.
Lycogala 184.
Muscedo. 179.
Septicus 183.
Sphaerocephalus 180.

J. B. March 2nd. 1792.

Index of Referrences to the Figures of Authors

INDEX GENERALIS.

GENUS I.

AGARICUS.

Nomina Trivialia. Tab.

Acris - - 60.—A. ſpadiceus. Shœff. Fung. Tab. 73.

Adſcendens - 55.—A. vinoſus. Bulliard, Pl. 54.

Albus - 153.—A. nitens. Schœf. Tab. 238. Ib. albus. 256.

Alumnus - - 155.—A. tuberoſus. Bulliard, Pl. 256.

Amethyſtinus - 63.—A. laccatus. Schœf. Tab. 13. Sterbeeck, Fung. Tab. 23, B.

Androſaceus - 32.—A. androſaceus. Bulliard, Pl. 64. Schœffer, Tab. 239. Vaillant, Tab. 11, Fig. 23. Boccone Muſæum, Tab. 104.

Annulatus - 23.—A. columbrinus. Bulliard, Pl. 78. Schœffer, Tab. 22, 23, 247. Flora Danica, Tab. 772. Battarra, Tab. 6, Fig. A. Steerbeck, Tab. 7, Fig. A. Parkinſon, P. 1318, Fig. 22.

Aqueſus - 71. f. 1.—Vaillant, Tab. 13, Fig. 4, 5, 6.

Atro-albus - 137.—Fig. Nulla fidenda.

Atro-rufus - 51.—A. ſemiorbicularis. Bulliard, Pl. 422, Fig. 2. Schœffer, Tab. 234.

Betulinus - 72. f. 1.—A. ſtypticus. Bulliard, Pl. 140. Schœffer, Tab. 208, 246. Flo. Dan. Tab. 832, Fig. 1.

Bulboſus - 147.—A. nudus. Bulliard, Pl. 439, Fig. A. Schœffer, Tab. 34, 53. Buxbaus, Cent. 4, Tab. 9.

Campeſtris - 45.—A. edulis. Bulliard, Pl. 143. Schœffer, Tab. 33. Flo. Dan. Tab. 714. Battarra, Tab. 7, Fig. A. Sterbeeck, Tab. 11, Fig. 3. Ger. Em. P. 1579, Fig. 1, 4. Park, P. 1317. Chabreus, P. 581.

Candidus - 39. D.—A. ramealis. Bulliard, Pl. 336.

Campanulatus 31.—A. plicatus. Bulliard, Pl. 80. Schoeffer, 31, 32, 99, 211. Flo. Dan. Tab. 832, Fig. 2. Vaillant, Tab. 12, Fig. 12. Mich. Gen. Tab. 75, Fig. 6.

In this Index the Names are the same as those in the Alphabetical Index to Icones, but the number of Tab. in this directs to the printed work and is to be disregarded when this Index is consulted for the Icones now consisting of six volumes.

INDEX GENERALIS.

Nomina Trivialia. Tab.

Carnoſus - 146.—A. amethyſtinus. Schoeffer, Tab. 56. Mich. Gen. Tab. 74, Fig. 9.

Caſtaneus - 10.—A. cereolus. Schoeffer, Tab. 51.

Cæruleus - 12.—Sterbeeck, Tab. 2, Fig. G, Tab. 5, Fig. C.

Ceſpitoſus - 41. C.—A. alliatus. Schoeffer, Tab. 99. Flo. Dan. Tab. 1015. Vaillant, Tab. 11, Fig. 11. Mich. Gen. Tab. 78, Fig. 5.

Chanterellus - 62.—A. cantharellus. Bulliard, Pl. 62. Flo. Dan. Tab. 264. Vaillant, Tab. 11, Fig. 14, 15. Battarra, Tab. 14, B, C. Ger. Em. P. 1580.

Ciliaris - 53.—A. atromentarius. Bulliard, Pl. 164.

Cinnamones - 150.—A. multiformis. Schæffer, Tab. 14.

Cinctulus - 152.—A. leoninus. Schoeffer, Tab. 48.

Clavus - 39. B.—Bulliard, Pl. 148. A. acicula. Schoeffer, Tab. 222. Ib. umbelliferus, Tab. 308.

Clypiatus - 57.—A. arundinaceus. Bulliard, Pl. 403. Fimi-putris, ib. Pl. 66. Papilionaceus, Pl. 58. Schoeffer, Tab. 52, 202. Sterbeeck, Tab. 17. A, B, C.

Confertis - 18.—A. digitaliformis. Bulliard, Pl. innumerat.?

Congregatus - 140.—A. annularius. Bulliard, Pl. 377.

Coriaceus - 158.—Bulliard, Pl. 394. Vaillant, Tab. 1, Fig. 1, 2, 3.

Cornucopioides 8.—A. mutabilis. Schoeffer, Tab. 9, degener. Ib. 243. Battarra, Tab. 18, H. Tab. 20, B.

Concinneus - 15.—A. cervinus. Schæffer, Tab. 10.

Cuſpidatus - 66. f. 2.—A. foraminuloſus. Bulliard, Pl. 403, Fig. 2. Schoef. 202, 210, 229.

Croceus - 51. f. 2.—A. ocraceus. Bulliard, Tab. 392. Flo. Dan. Tab. 1015.

Criſtatus - 7.—A. ſylvaticus. Schoeffer, Tab. 242. Battarra, Tab. 7, Fig. C.

Cyathoides - 145.—A. cyathoides. Bulliard, Pl. 148. Schoeffer, Tab. 14, 36, Flo. Dan. Tab. 1012, 1011. Vaillant, Tab. 14, Fig. 1, 2, 3. Battarra, Tab. 20, D, E, F.

Cyaneus - 143.—A. cyaneus. Bulliard, Pl. 170. Schæffer, Tab. 1, 96.

Delicioſus - 9.—A. rubeſcens. Schæffer, Tab. 73.

Denticulatus - 4.—A. amethyſtinus. Bulliard. Pl. 198. Fig. F. C.

Domeſticus - 26.—A. fuſceſcens. Shæeffer, Tab. 17. Sterbeeck, Tab. 22, I, K, L. Battarra, Tab. 26, Fig. D, E, F.

Durus

Nomina Trivialia. Tab.

Durus - 67. f. 1.—A. cœſius. Flo. Dan. Tab. 1010.

Eburneus - 4. f. 2.—A. eburneus. Bulliard, Pl. 118.

Elaſticus - 16.—A. incertus. Schoeffer, Tab. 62. Battarra, Tab. 11, Fig. 3.

Elephantinus - 28.—A. cinereſcens. Bulliard, Pl. 428, pileolarius. Ib. 400. Schoeffer, Tab. 71, 72. Battarra, Tab. 9, Fig. A. Buxbaus, Cent. 4, Tab. 8, Fig. 1.

Equeſtris - 65.—A. titubans. Bulliard, Pl. 245. Schoef. Tab. 237. Battarra, Tab. 25, B.

Extinctorius - 24.—A. extinctorius. Bulliard, Pl. 437, Fig. 1. Battarra, Tab. 27, H.

Farinaceus - 64.—A. faſciatus. Schæffer, Tab. 223, Fig. mal.

Faſcicularis - 29.—A. pulvurelentis. Bulliard, Pl. 178, amarus. Ib. Pl. innumerat. Schoef. Tab. 4, 9, 35.

Fimbriatus - 61.—A. iufundibuliformis. Bulliard, 286. Sterbeek, Tab. 15, Fig. B, B.

Fimitarius - 44.—A. picaceus. Bulliard 206. Schoeffer, Tab. 7, 8, 46, 47. Flo. Dan. Tab. 834. Battarra, Tab. 26, Fig. A, B, C. Buxb. Cent. 4, Tab. 27, Fig. 1.

Fiſſus - 35.—A. polygrammus. Bulliard, Tab. 395.

Flabelliformis 157.—Schœffer, Tab. 43, 44. An Flo. Dan. Tab. 891? Mich. Gen. Tab. 65, Fig. 1.

Flabellatus - 72. f. 2.—A. ſeſſilis. Bulliard, Tab. 152. Schœf. Tab. 224. Mich. Gen. Tab. 65, Fig. 2.

Flavidus - 149.—A. faſtigiatus. Schœffer, Tab. 26, 35, 75. Flo. Dan. 599. Buxbaus, Cent. 5, Tab. 45, Fig. 2.

Flavus - - 56.—A. ochroleucus. Schoeffer, Tab. 50, 54, 313. Flo. Dan. Tab. 830, Fig. 1,

Fuſco-pallidus 136.—Mich. Gen. Tab. 81, Fig. 2.

Infundibuliformis 34.—A. cornucopioides. Bulliard, Tab. 20, et fortaſſe, 465, Fig. 2, 473. Vaillaint, Tab. 11, Fig. 10. Battarra, Tab. 23, C.

Integer - 1.—A. ſanguineus. Bulliard, Tab. innumerat. An bifidus. pl. innumerat.? Schœffer, Tab. 15, 16, 92, 93, 94. Flo. Dan. Tab. 1009. Battarra, Tab. 15, E.

Irregularis - 13.—A. caſtaneus. Bulliard, Tab. 268.

Laceratus - 68.—A. repandus. Bulliard, Pl. 423, Fig. 2. An ſulphureus? ib. Pl. 168.

Lactifluus - 3.—A. lactifluus dulcis. Bulliard, Pl. 224, Fig. A. Schœffer, Tab. 5.

Laricinus - 19.—A. craſſipes. Schœffer, Tab. 87, 88. Battarra, Tab. 6, Fig. D. Tab. 11, Fig. F.

Lateralis

Nomina Trivialia. Tab.

Lateralis - 71.—Synonyma nulla fidenda.
Latus - 2.—A. lividus. Bulliard, Tab. 382.
Luridus - 25.—A. margaretaceus. Schœf. Tab. 216.
Luteo-albus - 38. f. 1.—A. pumilus. Bulliard, Tab. 260. Schœffer, Tab. 59, 63, 203, 226.
Luteus - 50.—Synonyma nulla fidenda.
Mammoſus - 69.—An A. roſeus? Bulliard, Pl. 162. Schœffer, Tab. 2, 303, 26.
Membranaceus 11.—A. farinulentus. Schœffer, Tab. 205. Flo. Dan. Tab. 1008.
Mollis - 40.—A. pileolarius. Bulliard, Tab. 400.
Muſcarius - 27.—A. typhoides. Bulliard, Pl. innum. ib. aurentiacus, 120. Schœffer, Tab. 95, 258. Mich. Gen. Tab. 78, Fig. 12. Sterbeek, Tab. 22, A. Liſter in Goedartus de Inſectis, Tab. 136, 142, 143.
Myodes - 139.—A. verrucoſus. Bulliard, Pl. 316. Schœf. Tab. 261, 27. Fig. 1.
Melleus - 141.—A. melleus. Flo. Dan. Tab. 1013, an ſquamoſus? Bulliard, Pl. 266. Schœffer, Tab. 74, 209.
Nobilis - 46.—A. pſeudo-aurentiacus. Bulliard, Pl. 122, Sterbeek, Tab. 22, Fig. A.
Nuceus - 70.—A. pullus. Schœffer, Tab. 250, 253
Oblectus - 142.—A. fugex. Schœffer, Tab. 67, 68. Mich. Gen. Tab. 80, Fig. 3.
Oreadus - 151.—A. pſeudo-mouſeron. Bulliard Pl. 144. Mouceron, Pl. 142, Pl. 428, Fig. 1. Schœffer, Tab. 45, 50, 205. Battarra, Tab. 22, Fig. C.
Peronatus - 58.—A. alliaceus. Bulliard, Pl. 158.
Piperatus - 21.—Bulliard, Pl. 292, Lactifluus-acris, ib. 200. Schœffer, Tab. 83.
Planus - 72. f. 3.—A. tremulus. Schœffer, Tab. 224.
Plumoſus - 33.—A. innominata. Flo. Dan. Tab. 491.
Politus - 30.—A. cyaneus. Var? ſive ſpecies non deſcriptis?
Pompatus - 5.—A. hybridus. Bulliard, Pl. 398. Schœffer, Tab. 49, Flo. Dan. Tab. 890. Hedwig. Theor. Crypt. Tab. 35, Buxbaus, Cent. 4, T. 34.
Procerus - 37.—A. filopes. Bulliard, Tab. 320.
Pſeudo-clypiatus 154.—Spec. nova.
Pſeudo-cinnamoneus. 22.—A. nitidus. Schœffer, Tab. 97, et fortaſſe, 206, 252, 255. Battarra, Tab. 17. Fig. A, Tab. 14, C. Buxb. Cent. 4, Tab. 1, Fig. 1

Purpureus

Nomina Trivialia. Tab.

Purpureus - 41. B.—A. columbarius. Bulliard, Pl. 413, Fig. 1.

Pullatus - 20.—A. cinereus. Bulliard, Pl. 88. Schœf. Tab. 100. Mich. Gen. Tab. 85, Fig. 5.

Pulvinatus 49.—A. volvaceus. Bulliard, Pl. 262. Flo. Dan. Tab. 1014. Schœffer, Tab. 85, 86.

Quercinus - 73.—A. labyrinthiformis. Bulliard, Pl. 352. Schœffer, Tab. 57, 231. Battarra, Tab. 38, Fig. A, B.

Radiatus - 39. C.—A. momentaneus. Bulliard, Pl. 128. Schœffer, Tab. 309.

Ramoſo radicatus 148.—Mich. Gen. Tab. 79. Fig. 4.

Repandus - 6.—A. dryophyllus. Bulliard, Pl. 434, Fig. E, F.

Rigidus - 43.—A. fuſiformis. Bulliard, Pl. 76. Flo. Dan. Tab. 833, Fig. 1. Oedamotopus, Schœf. Tab. 259.

Rubeus - 36.—A. coccineus. Bulliard, Pl. 202, Fig. A. Flo. Dan. 715.

Serratus - 14.—A. xerampelus. Schœffer, Tab. 214. 215, var. monſtroſus. A. gigenteus. Planta ſeniora, Tab. 84. 254, var. juniora.

Sordidus - 59.—A. ſordidus. Dickſon Crypt. Fas. 1, Tab. 3, Fig. 1. Battarra, Tab. 12, Fig. E, F.

Striatus - 54.—A. deliqueſcens. Bulliard, Pl. 437, Fig. 2. Vaillant. Tab. 12, Fig. 10, 11. Schœffer, Tab. 6, var. minor, Tab. 17, 67, 68, 201.

Tomentoſus - 156.—A. tomentoſus. Bulliard, Pl. 138, Mich. Gen. Tab. 73, Fig. 3.

Tortilis - 41. A.—A. truncorum. Schœffer, Tab. 6. Fig. 2, Tab. 230. Battarra, Tab. 27, E.

Trilobus - 38.—A. fulvus. Schœf. Tab. 95, 245. A. palleſcens. Schœffer, Tab. 211.

Vernalis - 48.—A. ovoiides albus. Bulliard, Pl. 346, var. major. bulboſus, Pl. 108. Schœffer, Tab. 20, 85, 86, 241.

Velutipes - 135.—A. nigripes. Bulliard, Pl. 344. Vaillant, Tab. 12, Fig. 8, 9.

Verrucoſus - 47.—A. maculatus. Schœffer, Tab. 90, 91, 89. Sterbeek, Tab. 20, Fig. K. Ger. Em. 1581, Fig. 3. Park. 1321, Fig. 8. Chabræus, P. 582.

Villoſus - - 42.—A. tubaformis. Schœffer, Tab. 248, 249. Battarra, Tab. 8, Fig. H.

Violaceus - 52.—A. araneuſa-violaceus. Bulliard, Pl. 250. Schœf. Tab. 3. Mich. Gen. Tab. 74, Fig. 1. Buxb. Cent. 4, Tab. 9.

Umbelliferus - 39. A.—A. griſeus. Schœffer, Tab. 236, 309, Mich. Gen. Tab. 80, Fig. 11.

Umbilicatus - 17.—Bulliard. Pl. 411, Fig. 2. Schœffer, Tab. 39, 207, 256.

Zonarius - 144.—A. deliciofus. Schœffer, Tab. 11, 235. Battarra, Tab. 16, H.

INDEX GENERALIS.

GENUS II.

BOLETUS.

Nomina Trivialia. Tab.

Albus - 78.—B. falicinus. Bulliard, Pl. 433, Fig. 1.

Annularius - 169.—B. annularius. Bulliard, Pl. 332. Schœffer. Tab. 114.

Auriformis - 82.—Auricularia reflexa. Bulliard, Pl. 274, 483. Mich. Gen. fynon. exclufis.

Betulinus - 160.—B. betulinus. Bulliard, Pl. 312.

Bovinus - 85.—B. edulis. Bulliard, Pl. 60, 494. B. felleus 379. B. tuberofus 100. B. cyanefcens, 369. Schœffer, Tab. 107, 108, 134, 135. Mich. Gen. Tab. 86. Fig. 1. Sterbeek, Tab. 17, E.G.H.I.

Calceolus - 168.—B. culceolus. Bulliard, Pl. 445, Fig. 2.

Elegans - 76.—B. imbricatus. Bulliard, Pl. 366. An B. acanthoides? Ib. Pl. 486. Schoeffer, Tab. 128, 129. Flo. Dan. Tab. 952. Battarra, Tab. 34. B. Barreliar Icon. 1267, 1268.

Hetroclitus - 164.—B. aurentius. Schoeffer, Tab. 109, 110. Battarra, Tab. 37, H. Sterbeek, Tab. 12. A.

Hepaticus - 79.—Fiftulina bugloffoides. Bulliard, Pl. 464, 407, et B. hepaticus, Pl. 74.

Hifpidus - 161—Bulliard. Pl. 210, 493. Battarra, Tab. 33, D. E. F. G. H.

Igniarius - 80.—Bulliard. Pl. 82, 454, et fortaffe 401. Schoeffer, Tab. 106, 137, 138, 262, 263. Flo. Dan. Tab. 953. Battarra, Tab. 37, E. D.

Lacrymans - 167. f. 1.—Jaiquin. Mis. Auft. 2, Tab. 8, Fig. 2. Clavaria dentata, Scopoli Dis. Tab. 9, Fig. 3. Ray Syn, Tab. 1, Fig. 5. Fung. Prop. Tab. 74, var. craffus.

Lateralis - 83.—B. numularius. Bulliard, Pl. 124.

Luteus - 84.—B. communis. Bulliard, Pl. 393. Schœffer, Tab. 105, 112, 113, 126, 130. 133, 134, 135, 315. Mich. Gen. Tab. 69, Fig. 1, 2. Hedwig Theo. Crypt. Tab. 36.

Medulla-panis 167. f. 2.—Jacq. Mifc. Auft. Tab. 11. Mich. Gen. Tab. 63, Fig. 2.

Obliquus - 74.—B. lacrymans Var.

Procerus - 86.—B. fcaber. Bulliard Pl. 132, 489. B. rufus. Schœffer, Tab. 103, 104.

Proteus - 166.—Auricularia corticalis. Bulliard, Pl. 336, Fig. 1. A phylacteris, ib. Fig. 2. B. cellulofus, Flo. Dan. 716, Fig. 1. An Merulus crifpatus? ib. Fig. 2? Mich. Gen. Tab. 66, f. 7.

Rangiferinus

Nomina Trivialia. Tab.

Rangiferinus - 138.—Blacks. Spec. Bot. Tab. 1. Fucus digitatus, Flo. Dan. Tab. 405. Battarra, Tab. 24. A. Sterbeek, Tab. 29, B.

Refupitanus - 165.—An B. cryptarum? Bulliard 478, five fpec nova.

Squamofus - 77.—B. juglandis. Bulliard, Pl. 19. B. polymorphus, Pl. 114. B. fubfquamofus, Batfch. Fung. Tom. 1, Tab. 10, Fig. 41. Schœffer, Tab. 101, 102. Flo. Dan. Tab. 893. Battarra, Tab. 37, B. Sterbeek, Tab. 13, 14, Fig. omnia.

Subftrictus - 170.—Fig. nulla fidenda.

Suberofus - 162.—B. fuberofus. Bulliard, Pl. 482. Schœffer 314.

Subtomentofus - 87.—B. fimbriatus. Bulliard, Pl. 254. Schœffer, Tab. 125.

Tenax - 75.—B. fulphureus. Bulliard, Pl. 429. Schœffer, Tab. 131, 132, 316, 317. Flo. Dan. Tab. 1019. Battarra, Tab. 34. A.

Unicolor - 163.—Bulliard, Pl. 408, et 501, Fig. 3.

Verficolar - 81.—Bulliard, Pl. 86. Schœffer, Tab. 136, 263, 268, 269, 270. Battarra, Tab. 35, Fig. A. Sterbeek, Tab. 27, Fig. K. L.

GENUS III.

HYDNUM.

Aurifcalpum - 90.—Bulliard, Pl. 481, Fig. 3. Schoeffer, Tab. 143. Flo. Dan. 1020. Mich. Gen. Tab. 72, Fig. 8. Buxb. Cent. 1. Tab. 57, Fig. 1.

Imbricatum - 88.—Mich. Gen. Tab. 72, Fig. 2. Vaillant, Tab. 14. Fig. 6, 7, 8.

Minimum - 171.—Icon et fynonyma, nulla fidenda.

Repandum - 89.—Bulliard, Pl. 172. Schoeffer, Tab. 141, 271, 273, 318. Hedwig Theo. Crypt. Tab. 37. Mich. Gen. Tab. 72, Fig. 3.

GENUS IV.

PHALLUS.

Efculentus - 91.—Bulliard, Pl. 218, opt. Schoeffer, Tab. 199, 298, 299, 300. Flo. Dan. Tab. 53. Mich. Gen. Tab. 85, Fig. 1, 2. Tournefort, Tab. 329. Battarra, Tab. 2, Fig. F. Sterbeek, Tab. 10. Fig. Omn. Ger. Em. P. 1583, Fig. 1.

Impudicus - 92.—Bulliard, Tab. 182 Schoeffer, Tab. 196, 197, 198. Flo. Dan. Tab. 175. Mich. Gen. Tab. 83. Battarra, Tab. 2. A. Sterb. Fung. Tab. 30, A, B, C, D. Barrelier, Icon 1264, 1258, Ger. Em. P. 1583, Fig. 1. Cluf. Hift. P. 286.

GENUS

INDEX GENERALIS.

GENUS V.

CLATHRUS.

Nomina Trivialia. Tab.

Denudatus - 93. f. 2.—Trichia cinnabaris. Bulliard, Pl. 502, Fig. 1. Batſch. Tab. 30, Fig. 177. Mich. Gen. Tab. 94, Fig. 2.

Flavus - 93. f. 4.—Sphærocarpus luteus. Bulliard, Pl. 407, Fig. 2. Sp. Viridis, ib. Fig. 1.

Fulvus - 93. f. 3.—Sphærocarpus coccineus. Bulliard, Tab. 368, Fig. 1. Trichia graniformis, Hoffm. Crypt. Fas. 2, Tab. 1, Fig. 2.

Nudus - 93. f. 1.—Trichia axifera. Bulliard 477, Fig. 1. Trichia typhoides, ib. Pl. 477? Batſch. Fung. Tab. 30, Fig. 176. Hoffm. Crypt. Fas. 2, Tab. 2, Fig. 3. Hall. Hiſt. Tab. 48, Fig. 1. Mich. Gen. Tab. 96, Fig. 4, Tab. 94, Fig. 1, 2.

Olivaceus - 94. f. 2.—Trichia leucopodia. Bulliard, Pl. 502, Fig. 2.

Sphærocephalus 94. f. 1.—Hall. Hiſt. 2160, Tab. 48, Fig. 2. Dill. Muſc. Tab. 14, Fig. 5.

Turbinatus - 94. f. 3.—Sphærocarpus chryſoſpermus. Bulliard 417, Fig. 4, ib. Fig. 2. Schoef. Fung. Tab. 296, Fig. 23. Lycoperdon favogeneum, Batſch. Fung. Fas. 2, Tab. 30, Fig. 173.

GENUS VI.

HELVELLA.

Agariciformia 98. f. 1.—Spec. nov.

Aurea - 98. f. 2.—Spec. nov.

Cartilagenia - 101.—Schoeffer, Tab. 184, var. ciliata.

Caryophyllæa - 173.—Auricularia caryophyllæa. Bulliard, Pl. 483, Fig. 6, 7. Schoeffer, Tab. 235.

Coccinea - 100.—Peziza coccinia. Bulliard, Pl. 474, A, B, C, D, F, H, E. Schoeffer, Tab. 148. Flo. Dan. Tab. 657, Fig. 2. Parkinſon, Pl. 1318, Fig. 6.

Cochleata - 99.—Peziza cochleata. Bulliard, Pl. 154, Opt. Schœffer, Tab. 158. 274. Vaillant, Tab. 11, Fig. 8.

Feritoria - 97.—Elvella clavata. Schœffer, Tab. 149. Clavaria ſpathula. Flo. Dan. Tab. 658.

Fibulaformia - 176.—Species Nova.

Hiſpida

Nomina Trivialia. Tab.

Hiſpida - 96.—Peziza ſtipitata. Bulliard, Pl. 196, 477. Elveſla hypocratiformis. Schœffer, Tab. 152, hiſpida ib. Tab. 167. Mich. Gen. Tab. 86, Fig. 3. Battarra, Tab. 3, Fig. C. L. M.

Membranacea 177.—Helvella dimidiata. Bulliard, Pl. 498, Fig. 2. Agaricus muſcigeoſus, ib. Pl. 288.

Meſenterica - 172.—Auricularia tramelloides. Bulliard, Pl. 290. Mich. Gen. Tab. 66, Fig. 4. Merſil. Diſſert. Fig, 28.

Mitra - 95.—Helvella elaſtica. Bulliard, Tab. 242, mitra, Tab. 190, 466. Schœffer, Tab. 159, 160, 161, 162, 282, 320, 321 Flo. Dan. Tab. 116. 835. Mich. Gen. Tab. 86, Fig. 7. Boletus albus. Battarra, Tab. 20, Fig. H. Tab. 3, B.

Nicotiana - 174.—Deſcrip. et Fig. nulla fidenda.

Sarcoides - 101. f. 2.—Schœffer, Tab. 333, 334. Tramella amytheſtea. Bulliard, Pl. 499, Fig. 5. Flo. Dan. Tab. 655, Fig. 3.

Veſiculoſa - 175.—Peziza cerea. Bulliard, Pl. 44. Veſſiculoſa ib. Pl. 457.

GENUS VII.

PEZIZA.

Auricula - 107.—Peziza Nigra. Bulliard, Pl. 460. Tramella atra. Flo. Dan. Tab. 884.

Coccinea - 104.—Peziza epidendra. Bulliard, Pl. 467, Fig. 3. Mich. Gen. Tab. 86, Fig. 5, 6.

Cærulia - 108. f. 2.—Peziza ſtercoraria. Bulliard, Pl. 483, Fig. 4. Var. P. ſcutellata non eſt.

Cornucopioides - 8.—Bulliard, Pl. 150. 498, Fig. 3. Schœffer, Tab. 165, 166, 270. Vaillant, Tab. 13, Fig. 2, 3.

Fuſca - 109. f. 2.—Species nova.

Inflecta - 106. f. 2.—Peziza coronata. Bulliard, Pl. 416, Fig. 4. Flo. Dan. Tab. 1016, Fig. 3.

Lentifera - 102. f. 1.—Nidularia vernicoſa. Bulliard, Pl. 488, Fig. 1. Schœffer, Tab. 180. Flo. Dan. Tab. 469. Vaillant, Tab. 11, Fig. 6, 7. Mich. Gen. Tab. 103, Fig. 3. Hoffm. Crypt, Fas. 2. Tab. 8.

Ochroleuca - 105. f. 1.—Peziza coriacea. Bulliard, Pl. 438, Fig. 1. Flo. Dan. Tab. 1016, Fig. 2.

Nomina Trivialia. Tab.

Scutellata - 108. f. 1.—P. gramulata. Bulliard, Pl. 438, Fig. 3, ib. Pl. 376. Flo. Dan. Tab. 654, Fig. 2. Vaillant, Tab. 13, Fig. 13, 14.

Striata - 102. f. 2.—Nidularia ſtriata. Bulliard, Pl. 40, Fig. A. Schœffer, Tab. 178. Vaillant, Tab, 11, Fig. 4, 5. Mich. Gen. Tab. 102, Fig. 2. Hoffm. Crypt. Fas. 2, Tab. 8, Fig. 3.

Tuba - 106. f. 1.—Fungoidaſter, &c. Mich. Gen. Tab. 82, Fig. 3.

Undulata - 105. f. 2.—Helvella tubæformis. Bulliard, Pl. 208, 461, criſpa ib. Tab. 465, Fig. 1.

Viridis - 109. f. 1.—P. viridis. Bulliard, Pl. 376, Fig. 4. P. calloſa ib. Pl. 416, Fig. 1. Peziza ſcenkii. Batſch, Fas. 1. Fig. 520. P. griſea ib. Fig. 55. P. olivacea ib. Fig. 51.

GENUS VIII.

CLAVARIA.

Coralloides - 113.—Bulliard, Pl. 364, var. cinerea, ib. Pl. 222, var. lutea. Schœffer, Tab. 176, 177. Barelier, Ic. 1266, Ger. Em. 1579, Fig. 2.

Elegans - 115.—C. rugoſa. Bulliard, Pl. 448, Fig. 2, 496, Fig. 3. Schœffer, Tab. 291.

Faſtigiata - 112. f. 2.—C. muſcoides. Bulliard, Tab. 358, Fig. D, E, Tab. 496, var. purpurea. Ray Syn, Tab. 24, Fig. 6.

Gracilis - 111.—An nov. Spec?

Gyrans - 112.—f. 1.—C. filiformis. Bulliard, Pl. 448, Fig. 1.

Muſcoides - 114.—Bulliard, Pl. 358, Fig. A, B, C. Schœffer, Tab. 173, Flo. Dan. Tab. 836, Fig. 2, 775, Fig. 3. Barelier, Ic. 1279.

Ophiaglоſſoides 111. f. 2.—Bulliard, Pl. 372. Schœffer, Tab. 372.

Piſtilaris - 110.—Bulliard, Pl. 244. Schœffer, Tab. 169, 289, Flo. Dan. 837, Fig. 1, 2, 3. Flo. Dan. Tab. 775, Fig. 2.

GENUS IX.

LYCOPERDON.

Bovista - 117.—Bulliard, Pl. 461, Fig. 1, ib. Fig. 2, Fig. 447, 435, Fig. 1, 2, 3, 430, 440, 72, 52. Schœffer, Tab. 184, 185, 186, 187, 189, 190, 191, 192, 193, 194, 195. Marſigli Fung. Carr. Fig. 1, 2. Var. Max.

Cervinum - 116.—L. aurentium, Bulliard, Pl. 270. L. ſpadicium. Schœffer, Tab. 188. Vaillant, Tab. 16, Fig. 5, 6, 7, 8. Mich. Gen. Tab. 99, Fig. 2, 3, 4.

Nomina Trivialia, Tab.

Epidendrum - 119. f. 1.—Bulliard, Pl. 503, opt. Mich. Gen. Tab. 95, Fig. 2. A. Flo. Dan. Tab. 720. Haller Hift. Tab. 47, Fig. 10. Buxb. Cent. 5, Tab. 29, Fig. 2.

Globoſum - 118.—Vaillant, Tab. 16, Fig. 9.

Goſſypinum - 178.—Bulliard, Pl. 431, Fig. 1, L. equinum Wildenow, Flo. Bern. Tab. 7, Fig. 20. Lichen byſſoides, Dill. Muſc. Tab. 14, Fig. 5.

Stellatum - 179.—Bulliard, Pl. 238, 471. Mich. Gen. Tab. 100, Fig. 1, 2, 3, 4, 5, 6. Schœffer, Tab. 182. Tournefort, Tab. 331, Fig. G, H. Ray Syn. Tab. 1, Fig. 1, 2, 3. Flo. Dan. Tab. 360. Bocc. Mus. Tab. 305, Fig. 4.

GENUS X.

SPHAERIA.

Agariciformia 130.—Flo. Dan. Tab. 140.

Bombardica - 122.—Mich. Gen. Tab. 54, Ordo, 37, Fig. 4. Lycoperdon Nigrum. Flo. Scot. Tab. 31.

Braſſicæ - 199.—Gleichen Suppl. Tab. 6.

Concentrica - 180.—Agaricum, &c. Mich. Gen. Ord. 4, Tab. 62, An. L. nigrum. Schœffer, Tab. 329, Fig. Mal.

Digitata - 129.—Clavaria cornuta. Bulliard, Pl. 180. C. digitata, ib. Pl. 220. C. hybrida, Var mediocria, inter hypoxylon et digitata. Flo. Dan. Tab. 713, Radix. Schœffer, 328. Mich. Gen. Tab. 66, Fig. 3. radicus.

Depreſſa - 122.—Veriolaria punctata. Bulliard, Tab. 432, Fig. 2, An Hypoxylon glomorulatum, Ib. Pl. 486, Fig. 3?

Foliacea - 131.—Lichen miniatus. Flo. Dan. Tab. 532, Fig. 12. Haller, Tab. 47, Fig. 2. Dill. muſc. Tab. 30, Fig. 127, 128. Mich. Gen. Ord. 36, Tab. 54, Fig. 1, 2.

Glauca - 121.—Sphœrocarpus capfulifer. Bulliard, Pl. 470, Fig. 2. Lycoperdon cinerium, Batſch. Fas. 2, Tab. 29, Fig. 169, An Dill. Muſc. Tab. 10, Fig. 17?

Maxima - 181.—Hypoxylon uſtulatum. Bulliard, Pl. 487, Fig. 1, B, C. Hoffm. Crypt. Fas. 1, Tab. 1, Fig. 2. Mich. Gen. Tab. 54, Fig. 1.

Militaris - 128.—Flora Danica. Tab. 657, Fig. 1. Vaillant, Tab. 7, Fig. 4.

Nomina Trivialia. Tab.

Miniata - 127.—Tramella purpurea. Bulliard, Tab. 284. Dill. Muſc. Tab. 18, Fig. 2. Mich. Gen. Tab. 95.

Mori - 120.—Sphærocarpus fragiformis. Bulliard, Pl. 384. Weig. Obs. Bot. P. 45, Tab. 2, Fig. 11.

Obducta - 125.—Hypoxylon clavatum. Bulliard, Pl. 444, Fig. 5?

Pertuſa - 126.—Lichen pertuſus. Dill. Muſc. Tab. 18, Fig. 9. Mich. Gen. Tab. 52. Ord. 32, H, I. K. Sphæria aggregata, &c. Weigel Obs. Bot. Page 46, No. 9, Tab. 2, Fig. 15.

Riccioidea - 182.—An. Spec. nova? Vel Boletus ramoſus. Bulliard, Pl. 418?

Rugoſa - 123. f. 2.—An Spec. nova?

Sanguinea - 121. f. 1.—Hypoxylon phoenicium. Bulliard, Pl. 487, Fig. 3, Texte P. 171.

Sulcata - 124.—Fig. nulla fidenda.

Truncata - 127. f. 2.—Peziza punctata, Bulliard, Pl. 252. Flo. Dan. Tab. 288. Bocc. Mus. Tab. 107.

Tuberculoſa - 123. f. 1.—Dill. muſc. Tab. 18, Fig. 7. Mich. Gen. Tab. 54. Ord. 11, Fig. 2.

Viridis - 121. f. 2.—Fig. nulla fidenda.

GENUS XI.

MUCOR.

Botrytis - 132. f. 3.—M. racemoſus. Bulliard, Pl. 504, Fig. 7. Mich. Gen. Tab. 91, Fig. 4.

Ceſpitoſus - 132. f. 2.—M. penicillatus. Bulliard, Page 107, Pl. 504, Fig. 11. Mich. Gen. Tab. 91, Fig. 34.

Lycogalus - 133. f. 2.—Reticularia lycoperdon. Bulliard, Tab. 446, Fig. 4, ib. Pl. 476, Fig. 1. Schœffer, Tab. 195.

Mucedo - 132. f. 1.—M. ſphærocephalus. Bulliard, P. 112, Pl. 480, Fig. 2. Flo Dan. Tab. 464, Fig. 4. Mich. Gen. Tab. 95, Fig. 1.

Roridus - 132. f. 4.—M. urceolatus, var. Bulliard, Pl. 480, Fig. 1. Pluk. Phyt. Tab. 116, Fig. 7.

Septicus - 134.—Reticularia alba. Bulliard, Pl. 326. R. lutea, ib. Pl. 380, Fig. 1. Schœffer, Tab. 192. Flo. Dan. Tab. 778. Mich. Gen. Tab. 96, Fig. 2.

Urceolatus - 133. f. 1.—Bulliard, Pl. 504. Fig. 15. Dickſon Crypt. Fas. 1, Tab. 3, Fig. 6.

ERRATA. Introduction, p. 27, l. 3, *clavata*. Page 29, l. 15, 16, *impotirns*. Page 29, in *margin*, read *pſeudo-cinnamoneus*. Page 98, l. 9, *fulvous*. 97-1, *cylindrical*. 106-19, *pale*. 111-13, *Caspyll*. 112-17, *faſtigiata*, 113. ult. *faſtigiata*. 114-10, *ſubdichotomoſe*. 116-27, *ſpa-* the comma after *ſtipitatus*. 142-2, *lacerato*. 143-10, *breaks*, ib. 11, *abides*. 145-19, *pleaſant*. 158-1, remove the *o*. 161-2, *vetuſtate*, *craſſæ*. 162-1, *Villoſus*. 164-1, *ſuperus*. 169-2, *dubia* 176-13, eraſe *the*. 176-1, *cartilagenia*. 177-11, *trenella*. Throughout for *Halvella* read *Helvella*; for *Dawn* read *Down*.